


# MASON JAR WRAP

## INSTRUCTIONS



BUCKLEGUY


LEATHERCRAFT SUPPLY

### SUPPLIES

- + MASON JAR
- + CUPPOW LID
- + NEEDLES
- + THREAD :
  - A. TOP AND BOTTOM SEAMS OF LEATHER WRAP (X2) 60"
  - B. HANDLE (X2) 50"
- + CANVAS
- + SANDPAPER
- + BEESWAX

### LEATHER/WOOL

1. LEATHER WRAP
2. (OPTIONAL) WOOL INSERT
3. HANDLE REINFORCER






## \*YOU SHOULD KNOW\*

PAPER BINDER CLIPS ARE PERFECT FOR HOLDING LAYERS OF LEATHER TOGETHER WHILE YOU STITCH. THEY SERVE THE PURPOSE OF SEWING PINS.


ALL STITCHING START POINTS ARE MARKED WITH A STAR.




FLESH VS. GRAIN COLORATION




**STEP 1:** (Optional) Burnish just along the sides of the leather wrap (1) as shown by the grey lines below:




**STEP 2:** If you are stitching the optional wool insert (2), line it up along the top and bottom seams of the flesh side of the leather wrap (1) so that there is one hole on either side of the leather wrap between the handle section and the top seam. Prepare your needles. Beginning with the top seam, start with the needle in the first hole to the left of the wool insert (2). Begin to saddle stitch, attaching the wool insert (2) in this first stitch. Saddle stitch along the top seam, stopping at the hole right after the end of the wool insert (2). Backstitch twice and pull both needles through to the flesh side/wool insert (2) side of the leather wrap (1). Snip and carefully burn threads. Repeat this same process to stitch along the bottom seam of the wool insert (2). If you are not installing the wool insert (2), saddle stitch along the top and bottom seams of the leather wrap (1), following the instructions from above.



**STEP 3:** Fold the leather wrap (1) lightly in half so that the two symmetrical sides of the handles touch, flesh sides together. Prepare your needles. Sandwich the tapered handle reinforcer (3) between the two sides of the leather wrap (1). Start with your needle in the “floating” hole near the top of the handle, between the inner and outer seams of the handle. Your first stitch will go up towards the outer seam. Very tightly, saddle stitch all the way around the “C” shaped seam, ending at the two “floating” stitching holes near the bottom of the handle. Back stitch, pull both needles towards one side of the leather wrap (1), snip and carefully burn threads.




**STEP 3 CONTINUED:**




**BUCKLEGUY**

LEATHERCRAFT SUPPLY

**STEP 4:** Prepare your needles. Begin with your needle in the bottom hole of the inner circle, near the back stitches in step 2. Saddle stitch up the left side of the circle, and then all the way around to the right, ending at the same hole where you started. Continue two more stitches beyond your first stitch, this will act as your back stitch. Pull both needles towards the same side as in step 3. Snip and carefully burn threads.




**STEP 5:** Sand and burnish handle in areas marked by grey lines below.



**BUCKLEGUY**

LEATHERCRAFT SUPPLY

**STEP 6:** Place jar into wrap and enjoy.



THANKS FROM ALL OF US AT BUCKLEGUY!

SHARE YOUR PROJECTS WITH US ON  
SOCIAL MEDIA

BY USING THE HASHTAG #BGKITS



@BUCKLEGUYCOM



@BUCKLEGUY



@BUCKLEGUY



@BUCKLEGUY.COM